TABLE 3.1

Behavioral Systems and Known Behavioral Patterns in the Family Canidae

System and Pattern (I = Infantile only)	Dog	Wolf	Coyote	Fox
nvestigative behavior:				N THEFT
Walking or running with nose to ground,				
sniffing	F, N	M		T
Head in air, sniffing, may run from side to side	F			T
Sniffing anal and/or genital region	F, N	Y, S		T
Sniffing nose or face	F, N	M, S		T
Head raised, cars erect (listening and look-	7,1	200		
	F, N	M		T
Nosing and sniffing urine or feces	F, N	Ŷ, S		T
Constitute forward maning head from side to	-,	2,0		
Crawling forward, moving head from side to	N	M?		T
side, sniffing (I)	7.4	Ditt		
Epimeletic behavior:				
Shelter building:	77 3.7	3.6		Т
Turning around before lying down	F, N	M		T
Digging bed in dirt	in a	M		T
Digging enlargement of den	F	M, Y		1
Grooming:				on.
Scratching self	F, N			T
Rubbing against object	F			T
Rubbing or rolling on ground	E		M	2000
Biting own fur	F, N			T
Shaking self	F			T
Licking own genital or anal region	F, N			T
Licking puppies, chiefly in genital and anal	22	959		NO COLUMN
regions (cating excreta)	N	Y		T
Feeding:		Samuel and the		
Allowing puppies to nurse	F, N			T
Vomiting food for puppies	N	Y		201
Carrying food to puppies	200	M, Y		T
Food caching (burying food)	N	M, C	M	T
Missellaneous		, 0		-
Miscellaneous:	N	Y		T
Carrying puppies to nest	N	Ŷ		T
Pushing puppies with nose	N	Ŷ		-
Whining (possibly warning)	14	1		
Et-epimeletic behavior (attention getting or care				
soliciting):	TO AT	36		
Whining	F, N	M		
Yelping	N	S		
Tail wagging (special kinds also seen with		36 37 0		or.
agonistic behavior)	F, N	M, Y, S		T
Licking face or hands of person, usually with	000000000000000000000000000000000000000	12000		-
tail wagging	F, N	S, C		T
Touching with paws	. N	M		T
Allelomimetic behavior (often combined with et-		2000		100
epimeletic, investigative, and agonistic				
behavior):				
Walking or running together	. F, N	M	M	
Sitting or lying down together	F, N	M	30000	
Getting up together	F, N	M		
Sleeping together	FN	M		
Heading in unison	N	M, Y, S, C	M*	
Howling in unison	N	M, Y	-	T
Howling, solitary (loneliness)	. 14	141, T		1.40

F= Field; N = Nursery; K = Kennel; E = Elsewhere (where observed in dogs)
M = Murie; Y = Young; S = Schenkel; C = Crisler; T = Tembrock (where reported in other canids)
P= Behavior implied, not directly described.
Characteristically different from wolves or dogs—higher pitched, interspersed with barking.

TABLE 3.1-Continued

System and Pattern (I = Infantile only)	Dog	Wolf	Coyote	Fox
Agonistic behavior (patterns associated with con-				
flict):				
Fighting and predation:			1000000	
Chasing	F	M, Y	M	T
Riting	F	M, Y, C	M	T
Spapping teeth	K	Y, S		
Pawing (sometimes in standing position)	N			T
Snarling (showing teeth)	F, N	M, Y, S		
Growling	F, N	M, Y, C	1	T
Barking	F, N	M, Y		T
Wagging tip of tail	K	S		T
Tail switching		S		T
Playful fighting, similar to above, but less				1,000
intense, includes panting	F, N			T
Pouncing or springing		M, S	M	T
Tossing small game into air		M	1-33032	T
Herding	K	M, Y, C		1000
Defense and escape reactions:				2000
Sitting	N	Y		T
Crouching.	F. N	M		T
Running away	F. N	M		T
Yelping and showing teeth	N	S		
Tail between legs	F. N	Y, S		
Rolling on back, pawing and extending legs	F. N	M		T
Attitudes of dominance:	-,			1000
Forepaws on back, growling, tail erect (may				
bite neck)	F, N	S		
Standing over dog on ground, growling	F	100	1	
Standing over dog on ground, growing	F, N	S		
Head down, back arched, tail down	3,131	10000	M	T
Mounting, tail down, neck biting, without				4555
pelvic thrusts				T
Attitudes of subordination:				
Allowing dominant animal to place feet on				
back, tail erect	N			
	F, N	S		
Tail down Tail between legs, crouching, ears depressed	N	M?, S		
Roll on back, legs extended, tail between legs	N	M, S		
Miscellaneous: hair raising	K	S		
Sexual behavior:	-			1
Male:	7			
Running with Q	F	Y		T (follow)
Forepaws extended, body thrown back on				2 (2000)
househer head to one side	F, N	C		
haunches, head to one side		S		T
Licking Q genitalia	FN	Y, S		T
Mounting. Clasping.	FN	Y?		T
Pelvic thrusts	FN	Y?		T
Copulatory tie	F, N	Ŷ		Î
	T, 11			
Female:	F	Y		
Running with of			18	
COLUMN EXTERIORI, DOUY LINOWH DACK ON	19950	M?, C		T

F = Field; N = Nursery; K = Kennel; E = Elsewhere (where observed in dogs)
M = Murie; Y = Young; S = Schenkel; C = Crisler; T = Tembrock (where reported in other canids)
? = Behavior implied, not directly described.

* Characteristically different from wolves or dogs—higher pitched, interspersed with barking.

Note differences from wolves and dogs in dominance-subordination behavior of foxes and coyotes. Information on coyotes is relatively incomplete.

TABLE 3.1—Continued

System and Pattern (I = Infantile only)	Dog	Wolf	Coyote	Fox
Mounting Clasping. Pelvic thrusts Standing for o	N N N F, N	S M		T T T
Tail moved to one side Both: "Wrestling," forepaws around each other's	F'	S		Т
necks	Е			
Male: Micturition with all 4 legs extended (I)	N			Т
Micturition with lifting of hind leg, usually in places used by other ♂'s	K F, N	S		T
Wandering, nosing ground before defecation Defecation Scratching ground with all 4 feet following	F, N F, N	Y,S		Т
defecation (rare in Q)	K, N	Y		
usedingestive behavior:	F, N	Y		Т
Lapping, tail out and down	K	Y, S	M M	T T T
Eating grass. Sucking, pushing with head, alternately pushing with forepaws, hind feet pushing, tail	F	M		T
out and down (I)				
Lying in a heap (I). Lying close together. Curling up.	F	M M M		T T
Miscellaneous motor activities: Twitching while asleep (I). Stretching. Yawning. Rolling over.	F, N F, N	M M, C M	М	T T T

F - Field; N = Nursery; K = Kennel; E = Elsewhere (where observed in dogs)
 M = Murie; Y = Young; S = Schenkel; C = Crisler; T = Tembrock (where reported in other canids)
 Paracteristically different from wolves or dogs—higher pitched, interspersed with barking.